
Use the food web below to answer the questions on the this worksheet


# A. With sea otters, kelp forest food web



Put the organisms into the correct group:

Producers:	Consumers:		
	Herbivores	Carnivores	Omnivore
And a second sec			
	,		
	•		
e e e e e e e e e e e e e e e e e e e			·
ļ			
	•		
	•		
		1	1

Now place the organism in the correct level of an ecological pyramid:



Level	Names for level
1	
2	
3	
4	
5	

,


## **Energy Transfer in Living Organisms**


How does energy move through an organism?

#### Why?

The law of conservation of energy states that energy can be neither created nor destroyed; it can only be transferred to another form. In living things energy is transferred as organic matter (molecules of carbohydrate, fats, starch, etc.). But does an organism use all of the energy that is provided by the organic matter available? How is the law of conservation of energy applied to living organisms?

## Model 1 - Food Conversion in a Herbivore





- 1. According to Model 1, how many grams of grass does herbivore A eat each day?
- 2. Refer to Model 1.
  - a. How much did herbivore A grow from eating this grass?
  - b. What term is used to represent growth in Model 1?
- 3. What is meant by "egested waste" as it is used in Model 1?
- 4. Is all of the mass of the ingested grass accounted for in the growth and waste of herbivore A? If not, how much is "missing"? Show a mathematical calculation to support your answer.

- 5. In addition to growth and waste production, what else does herbivore A's body do with the food it ingests?
  - 6. As cells undergo cellular respiration, what products are produced, and how are they released from the body?
  - 7. Draw an arrow in Model 1 to represent respiration and label it with the appropriate title and mass.



## Model 2 - Energy Efficiency in Two Organisms

Respiration/day: 1.6 kilocalories Respiration/day: 0.192 kilocalories Heat loss/day: Heat loss/day: 1.4 kilocalories 0.228 kilocalories Herbivore B Herbivore A Egested waste/day: Egested waste/day: 1.25 kilocalories 0.33 kilocalories Grass ingested/day: 5 kilocalories Grass ingested/day: 0.8 kilocalories

- 8. What unit of energy is used in Model 2?
- 9. Refer to the energy value of the ingested grass in Model 2.
  - a. What is the energy value of the grass eaten by herbivore A each day?
  - b. What is the energy value of the grass eaten by herbivore B each day?
  - c. Which herbivore would you predict to be the larger animal? Explain.

- 10. In Model 2, what are the three ways that the energy taken in by the herbivores is used?
- 11. For each herbivore calculate the total energy output.
  - a. Herbivore A =
  - b. Herbivore B =
- 12. Does the total amount of energy output for each herbivore add up to the total amount of energy eaten by each herbivore?
- 13. Use the information given in Model 1.
  - a. What accounts for the differences noted in Question 12?
  - b. Add labels to Model 2 to show this energy.

### Read This!

Biologists often refer to organic matter by the potential energy that is released when the substance undergoes a chemical change to make carbon dioxide and water. This could occur by burning the organic matter or by an organism using the organic matter in cellular respiration.

- 14. According to Model 1, herbivore A eats 4 g of grass per day. Using Model 2, how much potential energy does this represent?
- 15. According to Model 2, how much energy does herbivore A require for cellular respiration each day?
- 16. Energy lost as either heat to the environment or egested as waste is not considered to be an efficient use by the organism. What percentage of the potential energy of the grass is not efficiently used by herbivore A?
- 17. What percentage of the potential energy of the grass is not efficiently used by herbivore B?
- 18. Do the herbivores have the same efficiency in using the grass toward useful purposes? Explain in two or more complete sentences.




- 19. Herbivores A and B are eaten by carnivores.
  - a. Which category of energy related to the organisms in Model 2 is directly available to the carnivore who eats the herbivores: grass, respiration, biomass or waste?
  - b. What percentage of the original "grass energy" is available to the carnivore if it eats herbivore A?
  - c. What percentage of the original "grass energy" is available to the carnivore if it eats herbivore B?
- 20. Which herbivore is the more efficient food choice for the carnivore? Why?

### **Ecological Pyramids**

How does energy flow through an ecosystem?

### Why?

Every organism in an ecosystem is either eating or being eaten. When cows eat grass, they obtain some of the energy that the grass transferred from the sunlight it absorbed. If cows could carry out photosynthesis, would they have access to more energy than they get as herbivores? Which organisms in an ecosystem require the most energy to sustain life?



- 1. A unit used to measure energy is the kcal.
  - a. What is the source of all energy in the pyramid in Model 1?
  - b. How much energy does this source provide to a square meter of the Earth per year? (Be sure your answer includes units.)
- 2. Label the pyramid levels in Model 1 with the following: primary producers, primary consumers, secondary consumers, and tertiary consumers.
- 3. The arrows in Model 1 represent the energy available to the next level of the pyramid.
  - a. What percentage of the source energy from Question 1a is absorbed by the oak leaves in Model 1?
  - b. By what process do the oak leaves harness this energy?

- 4. Describe how the consumers in one level of the pyramid obtain energy from the organisms at the previous level of the pyramid.
- 5. Refer to Model 1.
  - a. How much energy per year do the caterpillars in Model 1 obtain from eating the leaves in a square meter of the oak tree?
  - b. What percentage of the energy that was originally absorbed by the oak leaves is passed on to the caterpillars?
  - c. What percentage of the energy absorbed by the oak leaves is not passed on to the caterpillars?
  - d. With your group, list at least three possible uses and/or products of the energy absorbed by the oak leaves that did not contribute to the production of biomass.
- 6. Calculate the percentage of energy that is transferred from one level of the pyramid in Model 1 to another for all of the levels.
  - a. Oak leaves to caterpillars (see Question 5b).
  - b. Caterpillars to blue jays.
  - c. Blue jays to hawk.
- 7. Calculate the average percentage of energy that is transferred from one level to another using your answers in Question 6. Note that this average percentage transfer is similar for many different types of energy pyramids in nature.
- 8. As a group, write a statement that describes the pattern of energy transfer among consumers within a pyramid of energy.

- 9. What percentage of the caterpillars' original energy is available to the hawk?
- 10. What percentage of the oak leaves' original energy is available to the hawk?
- 11. Explain why an energy pyramid in any ecosystem typically is limited to four or five levels only.
  - 12. Propose an explanation for why populations of top carnivores, such as hawks, are always smaller than the populations of herbivores, such as caterpillars.




#### Read This!

Each level in the pyramid in Model 1 is a **trophic level**. The word "trophic" refers to feeding or nutrition. Model 1 shows one example of one organism that would be included in each level, but each level in an ecosystem includes many species of organisms.

- 13. List at least three other species that might be found in the trophic level with the oak trees.
- 14. List at least three other species that might be found in the trophic level with the blue jays.

### Model 2 - Pyramid of Numbers



15. Compare and contrast the two pyramids in Model 2. List at least two similarities and two differences.


16. How does the number of organisms change as you move up the levels in Pyramid A compared to Pyramid B?

17. Are the "producers" levels in the two pyramids in Model 2 referring to the same organisms or different organisms? Explain.

18. Which of the two pyramids in Model 2 gives a more accurate account of what occurs in this ecosystem? Use complete sentences to explain your reasoning.



## Model 3 - Pyramid of Biomass



- 19. Biomass is measured as grams of dry mass within an area. What is the mass of the oak trees in Pyramid X of Model 3?
- 20. What is the mass of the phytoplankton in Pyramid Y of Model 3?
- 21. Refer to Model 3.
  - a. Identify the trend in biomass as you move up the trophic levels in Pyramid X.
  - b. Is the trend in biomass in Pyramid X the same as seen in Pyramid Y? Explain your answer.

### Read This!

Phytoplankton are microscopic aquatic organisms that are quickly consumed by microscopic animals (zooplankton). Because they are eaten so quickly there is a need for the phytoplankton to reproduce rapidly for survival.

- 22. Explain why the Pyramid Y ecosystem can exist with a smaller biomass at the producer level.
- 23. Use examples from the previous models to explain the advantage of using a pyramid of energy or biomass rather than a pyramid of numbers to explain the relationship between different trophic levels.